## **Amendments to the claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

What is claimed is:

1. (Original) A compound of the formula I, or a salt, solvate, or a physiologically functional derivative thereof

I

in which

R is

in which the phenyl radical is optionally and independently substituted with up to three halogen, -C<sub>1-6</sub>alkyl, -OC<sub>1-6</sub>alkyl, -CF<sub>3</sub>, -CN, -CO<sub>2</sub>H, -  $SO_2NH_2$ , -CONH<sub>2</sub>; or

R is a radical of the formula

Q is a radical of the formula

in which Z is N or C-R2;

wherein R2 is hydrogen, -NH<sub>2</sub>, -C<sub>1-6</sub>alkyl, -CF<sub>3</sub>, or a radical of the formula

$$N$$
 OH ,  $N$  O

R3 is -C<sub>1-6</sub> alkyl, or a radical of the formula

$$N-R1$$
 ,

$$\sim$$
 OH ; and

> n equals zero to two; w equals one to two; and R1 is -C<sub>1-6</sub>alkyl.

- 2. (Original) A compound of claim 1 in which R is phenyl optionally and independently substituted with up to three halogen, -C<sub>1-6</sub>alkyl, -OC<sub>1-6</sub>alkyl, -CF<sub>3</sub>, -CN, -CO<sub>2</sub>H, -SO<sub>2</sub>NH<sub>2</sub>, -CONH<sub>2</sub>.
- 3. (Original) A compound of claim 2 in which R is

in which X is halogen or CF3; and Y is hydrogen, halogen,  $-C_{1-6}$ alkyl,  $-OC_{1-6}$ alkyl,  $-CC_{3}$ , -CN,  $-CO_{2}H$ ,  $-SO_{2}NH_{2}$ ,  $-CONH_{2}$ .

4. (Original) A compound of claim 3 in which Q is

in which R4 is methyl or hydrogen, and W is O or N-R1, in which R1 is -C<sub>1-6</sub>alkyl.

- 5. (Currently Amended) A method of inhibiting hYAK3 in a mammal; comprising, administering to the mammal a therapeutically effective amount of a compound of claim 1, [[2, 3, or 4,]] or a salt, solvate, or a physiologically functional derivative thereof
- 6. (Currently Amended) A method of treating or preventing diseases of the erythroid and hematopoietic systems, caused by the hYAK3 imbalance or inappropriate activity; comprising, administering to a mammal a therapeutically effective amount of a compound of claim 1, [[2, 3, or 4,]] or a salt, solvate, or a physiologically functional derivative thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

- 7. (Original) A method of claim 6 in which diseases of the erythroid and hematopoietic systems are selected from the group consisting of: anemia, aplastic anemia, myelodysplastic syndrome, myelosuppression, and cytopenia.
- 8. (Currently Amended) A method of treating or preventing diseases selected from the group consisting of: anemia, aplastic anemia, myelodysplastic syndrome, myelosuppression, and cytopenia; comprising, administering to a mammal a therapeutically effective amount of a compound of claim 1, [[2, 3 or 4,]] or a salt, solvate, or a physiologically functional derivative thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.
- 9. (Currently Amended) A pharmaceutical composition including a therapeutically effective amount of a compound claim 1, [[2, 3, or 4,]] or a salt, solvate, or a physiologically functional derivative thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.
- 10. (Original) A compound selected from the group consisting of:

```
(5Z)-2-[(2-Chlorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
```

(5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,6-difluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,4-dimethylphenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-2-{[2-

(methyloxy)phenyl]amino}-1,3-thiazol-4(5H)-one;

(5Z)-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-2-{[2-

(trifluoromethyl)phenyl]amino}-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2-Chlorophenyl)-amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)-methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

- (5Z)-2-[(2,6-difluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-
- yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-2-[(2,4-
- dimethylphenyl)amino]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-
- yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-
- yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-Chlorophenyl)-amino]-5-({1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl}-methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-({1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,4-difluorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-2-(phenylamino)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(diethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(diethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[3-(4-morpholinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-((1-[3-(4-morpholinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[3-(4-methyl-1-piperazinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[3-(4-methyl-1-piperazinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(1-pyrrolidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- $(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(1-pyrrolidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;$
- (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-difluorophenyl)amino]-5-({1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;

- (5Z)-2-[(2-Chlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,4-difluorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-2-(phenylamino)-1,3-thiazol-4(5H)-one;
- $(5Z)-2-[(2,6-dichlorophenyl)amino]-5-{[1-(2-hydroxyethyl)-2-methyl-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;$
- (5Z)-2-[(2-chlorophenyl)amino]-5-({2-methyl-1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({2-methyl-1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-difluorophenyl)amino]-5-({2-methyl-1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-[(1-methyl-2-{[2-(4-morpholinyl)ethyl]amino}-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-2-{[2-(4-morpholinyl)ethyl]amino}-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1-methyl-2-{[2-(4-morpholinyl)ethyl]amino}-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-[(2-{[2-(dimethylamino)ethyl]amino}-1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({2-[(2-hydroxyethyl)amino]-1-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-{[1-methyl-2-(4-morpholinylmethyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-{[1-methyl-2-(4-morpholinylmethyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({1-methyl-2-[(4-methyl-1-piperazinyl)methyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-methyl-2-[(4-methyl-1-piperazinyl)methyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-Chlorophenyl)-amino]-5-{[1-methyl-2-(trifluoromethyl)-1H-benzimidazol-6-yl]-methylidene}-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-{[1-methyl-2-(trifluoromethyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-{[1-[2-(dimethylamino)ethyl]-2-(trifluoromethyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;
- $(5Z)-2-[(2-chlorophenyl)amino]-5-\{[2-(1,1-dimethylethyl)-1-methyl-1H-benzimidazol-6-yl]methylidene\}-1,3-thiazol-4(5H)-one;$
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-{[2-(1,1-dimethylethyl)-1-methyl-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;

- (5Z)-2-[(2-Chlorophenyl)amino]-5-[(1-methyl-1H-1,2,3-benzotriazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-1H-1,2,3-benzotriazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-1,2,3-benzotriazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-1,2,3-benzotriazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- 2-(2,6-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one:
- 2-(2,6-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;
- 2-(2-Fluoro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;
- 2-(2-Chloro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(2-Trifluromethyl-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(2,4-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(2,5-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one:
- 2-(2,4-Dimethyl-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(4-Cyano-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 4-[5-(2-Methyl-benzooxazol-6-ylmethylene)-4-oxo-thiazolidin-2-ylideneamino]-benzoic acid;
- 2-(2,4-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(2,5-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one:
- 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-phenylimino-thiazolidin-4-one;
- 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-(2-piperidin-1-yl-ethylimino)-thiazolidin-4-one;
- 2-(2-Methoxy-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-(3-morpholin-4-yl-propylimino)-thiazolidin-4-one;
- 3-[5-(2-Methyl-benzooxazol-6-ylmethylene)-4-oxo-thiazolidin-2-ylideneamino]-benzenesulfonamide;
- 2-(4-Hydroxy-butylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one; 2-(trans-4-Hydroxy-cyclohexylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-phenethylimino-thiazolidin-4-one;
- 4-{2-[5-(2-Methyl-benzooxazol-6-ylmethylene)-4-oxo-thiazolidin-2-ylideneamino]-ethyl}-benzenesulfonamide;

- 2-(2-Benzo[1,3]dioxol-5-yl-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(4-Chloro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-(pyridin-3-ylimino)-thiazolidin-4-one;
- 3-[5-(2-Methyl-benzooxazol-6-ylmethylene)-4-oxo-thiazolidin-2-ylideneamino]-benzamide;
- 2-(2-Hydroxy-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one; 2-(1-Hydroxymethyl-2-phenyl-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-
- thiazolidin-4-one;
- N-{6-[2-(2-Bromo-phenylimino)-4-oxo-thiazolidin-5-ylidenemethyl]-1H-benzoimidazol-2-yl}-2-dimethylamino-acetamide; and
- Methyl (5-{(Z)-[2-[(2-bromophenyl)amino]-4-oxo-1,3-thiazol-5(4H)-ylidene]methyl}-1H-benzimidazol-2-yl)carbamate.